

HELKETORA

Électroménager de cuisine

Catalogue client - fournisseur anonymisé



foucus on
BUILT-IN
KITCHEN APPLIANCES
18 year

BUILT-IN
Microwave
STEAMER
Dishwasher
HOOD
Coffee Machine
WINE Cooler
Water Dispenser
Refrigerator
Warming Drawer
Disinfection Cabinet
OVEN

DOWNAIR HOOD INDUCTION COOKTOP



DOWNAIR HOOD COOKTOP
AT-YD600G-C



DOWNAIR HOOD COOKTOP
AT-YD720G-C



DOWNAIR HOOD COOKTOP
AT-YD770G-C



DOWNAIR HOOD COOKTOP
AT-YD900G-C

Downdraft Hood



DOWN DRAFT HOOD
AT-Y1200S-A



DOWN DRAFT HOOD
AT-Y880S-A

Island Hood



ISLAND HOOD
AT-Y1800S-B



ISLAND HOOD
AT-Y608S



ISLAND HOOD
AT-Y380S-B

Chimney Hood



CHIMNEY HOOD
AT-Y900A-W



CHIMNEY HOOD
AT-Y800G-R



CHIMNEY HOOD
AT-Y303S



CHIMNEY HOOD
AT-Y450S-ST

Built-in Hood



BUILT-IN HOOD
AT-Y770G



BUILT-IN HOOD
AT-Y700S-3



BUILT-IN HOOD
AT-Y700S-3

Built-in
Kitchen Appliances


Microwave Oven



MICROWAVE OVEN
AT-W668S



MICROWAVE OVEN
AT-W666S



MICROWAVE OVEN
AT-W368S

Steam Oven



STEAMER & OVEN
AT-ZK455S-C



STEAMER & OVEN
AT-ZK388S-C



STEAMER
AT-Z388S-C



OVEN
AT-K338S-C

Oven

Steamer & Oven Combi

WATER DISPENSER

Warming Drawer



DOWNDRAFT
HOOD
DESIGN




DOWN DRAFT HOOD		AT-Y880S-A
Finish		
Material	Paint Black Surface + Tempered Glass	
Features		
Air Flow	1000m³/hr	
Motor Power	AC340W	
Lighting	LED1*4W	
Control	Slide/Sensor Touch Control	
	4 Level Touch With Turbo Function	
Filter	2	
Air Outlet	150mm	
Optional Accessories (Re-Circulating)		



DOWNDRAFT
HOOD
DESIGN



DOWN DRAFT HOOD		AT-Y1200S-A
Finish		
Material	Paint Black Surface + Tempered Glass	
Features		
Air Flow	1000m³/hr	
Motor Power	AC340W	
Lighting	LED 2*3W	
Control	Slide/Sensor Touch Control	
	4 Level Touch With Turbo Function	
Filter	2	
Air Outlet	150mm	
Optional Accessories (Re-Circulating)		
Carbon Filter	Yes	
Packing		
Packaging Dimension(mm)	1350x475x950	
Gross Weight(kg)	45	
Hood Type		
Downdraft	Automatically Raises	




CUT SIZE:
W1180*D95 mm



DOWNAIR HOOD
INDUCTION COOKTOP

DESIGN



DOWNAIR HOOD COOKTOP **AT-YD600G-C**

Finish	
Material	France EuroKera Black Vitro Ceramic Top


Features	
Air Flow	750m ³ /hr
Motor Power	DC 120w
Control	8 Speed Electric Button Control
Filter	Oil Cup & Aluminum Filter
Total Power	7200W
Heating Elements	Induction Hobx4
Display	Two Digital
Control	Slide/Sensor Touch Control
Fire Power	8 Level
Child Safety Lock	Yes
Boost function	Boost to :2.8kw/2.8kw/2kw/2kw

Rated Power	
	2.8kw,2.8kw,1.8kw,1.8kw


Optional Accessories (Re-Circulating)	
Carbon Filter	Yes

Packing	
Packaging dimension(mm)	716x683x410
Gross weight(kg)	35

Hood type	
	Re-Circulating DownAir




CUT SIZE:
W572*D491mm



DOWNAIR HOOD COOKTOP **AT-YD720G-C**

Finish	
Material	Black Vitro Ceramic Top

Features	
Air Flow	750m ³ /hr
Motor Power	DC 120w
Control	8 Speed



ISLAND HOOD
1800 LENGTH
DESIGN



ISLAND HOOD		AT-Y1800S-B
Finish		
Material	Paint Black Surface	
Features		
Air Flow	750m³/hr	
Motor Power	DC185W	
Lighting	LED 4*3w	
Control	3 Speed Android/Electric Btton Control	
Filter	Aluminum Filter x 2	
Air Outlet	150	
Optional Accessories (Re-Circulating)		
Carbon Filter	Yes	
Packing		
Packaging dimension(mm)	2200*600*400	
Gross weight(kg)	45	
Hood type	ISLAND	





ARTIFICIAL
STONE
DESIGN



ISLAND HOOD

AT-Y608S

Finish	
Material	Artificial Stone & Stainless Steel
Features	
Air Flow	750m ³ /hr
Motor Power	210w
Lighting	LED 4*3w+2*1.5w
Control	3 Speed Android/Electric Btton Control
Filter	Aluminum Filter x 2
Air Outlet	without
Optional Accessories (Re-Circulating)	
Carbon Filter	Yes
Packing	
Packaging dimension(mm)	960x570x390
Gross weight(kg)	790x380x40
Hood type	45/10
ISLAND	Patent Product

Built-in
Kitchen Appliances




WHITE
SIMPLE
DESIGN



CHIMNEY HOOD

AT-Y900A-W

Finish	
Material	Stainless Steel + White Tempered Glass
Features	
Air Flow	1000m ³ /hr
Motor Power	250w
Lighting	LED 2*2W
Control	3 Speed Electric Touch Control & Remote
Filter	Aluminum Filter x 2
Air Outlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging dimension(mm)	945*515*650
Gross weight(kg)	33
Hood type	
Wall Mounted	Auto-Opening





TAI CHI
CIRCLE
DESIGN



CHIMNEY HOOD AT-Y800G-R

Finish	
Material	Stainless Steel+Black Tempered Glass
Features	
Air Flow	750m³/hr
Motor Power	300W
Lighting	LED 2*2W
Control	5 Speed Touch Control
Filter	Aluminum Filter x 2
Air Outlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging Dimension(mm)	875x822x575
Gross Weight(kg)	28

Hood Type	
Wall Mounted	

Built-in
Kitchen Appliances




350 DEPTH
MAX AIR FLOW
HOOD
DESIGN



CHIMNEY HOOD AT-Y450S-ST


Finish	
Material	Stone Painted
Features	
Air Flow	750m ³ /hr
Motor Power	210w
Lighting	LED 2*1.5w
Control	3 Speed Electric Button Control
Filter	Aluminum Filter x 1
Air Outlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging dimension(mm)	515x420x623
Gross weight(kg)	20
Hood type	
Wall Mounted	





BUILT-IN HOOD **AT-Y700S-3**

Finish	
Material	Stainless Steel
Features	
Air Flow	750m³/hr
Motor Power	190w
Lighting	LED 2x1.5w
Control	3 Speed Electric Button
Filter	Aluminum Filter x 2
Air Outlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging dimension(mm)	745x340x325
Gross weight(kg)	8
Hood type	
Built-in	



TELESCOPIC HOOD **AT-Y600S**



MAX AIR FLOW
HOOD
DESIGN



CHIMNEY HOOD

AT-Y1200T-C

Finish	
Material	Spraying+Black Tempered Glass
Features	
Air Flow	1260m ³ /hr
Motor Power	250W
Lighting	LED 3 x 1.5W
Control	9 Speed Touch Control
Filter	PATENT Aluminum Filter x 3
Air Outlet	180mm
Optional Accessories (Re-Circulating)	
Carbon Filter	No

Packing	
Packaging Dimension(mm)	1250*505*920
Gross Weight(kg)	39

Hood Type	
-----------	--

MAX AIR FLOW
HOOD
INTEGRATED
DESIGN




CHIMNEY HOOD CXW-318-MDBB

Finish	
Material	Spraying Black
Features	
Air Flow	1260m ³ /hr
Motor Power	250W
Lighting	LED 1*2W
Control	Remote Touch Control
Filter	Metal Filter x 3
Air Outlet	180mm

Optional Accessories (Re-Circulating)	
Carbon Filter	No

Packing	
Packaging Dimension(mm)	980*710*610
Gross Weight(kg)	26

Hood Type	
Wall Mounted	









350 DEPTH
MAX AIR FLOW
HOOD
DESIGN



CHIMNEY HOOD AT-Y900T-C

Finish	
Material	Stainless Steel+Black Tempered Glass
Features	
Air Flow	1140m ³ /hr
Motor Power	318W
Lighting	LED 1*2W
Control	3 Speed Touch Control
Filter	Stainless Steel Filter x 2
Air Outlet	180mm
Optional Accessories (Re-Circulating)	
Carbon Filter	No
Packing	
Packaging Dimension(mm)	980x710x610
Gross Weight(kg)	23
Hood Type	
Wall Mounted	





Induction COOKTOP AT-D900W-C



Finish	
Material	Black Vitro Ceramic Top

Features	
Total Power	7200W
Heating Elements	Induction Hobx5
Display	Two Digital
Control	Slide Sensor Touch Control
Cooking Type	9 Level Induction Heating
Child Safety Lock	Yes
Overheating Protector	Yes

Rated Power	
	2.7kw, 2.2kw, 2.2kw, 1.5kw, 1.5kw

Packing	
Packaging dimension(mm)	1050x600x160
Gross weight(kg)	13

Installation Type	
Built-in or Freestanding	Boost Function



CERAMIC/INDUCTION COOKTOP AT-DT128W

Finish	
Material	GERMAN SCHOTT Black Vitro Ceramic Top
Features	
Total Power	5600W
Heating Elements	Induction Hob*1+heating unit*1
Display	Two Digital
Control	Sensor Touch Control
Fire Power	9 Level
Cooking Type	Induction & Direct Heating
Child Safety Lock	Yes
Overheating Protector	Yes
Rated Power	
2.8kw,2.8kw	
Packing	
Packaging dimension(mm)	490x790x120
Gross weight(kg)	11



CERAMIC/INDUCTION COOKTOP

AT-DT530W

Finish

Material GERMAN SCHOTT Black Vitro Ceramic Top

Features

Total Power	6200W
Heating Elements	induction hob*2+Ceramic Hob*1
Control	Sensor Touch Control
Fire Power	9
Cooking Type	Induction & Direct Heating
Child Safety Lock	Yes
Overheating Protector	Yes

Rated Power


Induction hob 2.2kw,1.8kw,E.G.O. heating hob 2.2kw

Packing

Packaging Dimension(mm)	670x610x130
Gross Weight(kg)	13

Installation Type


Built-in





GAS COOKTOP **AT-R5-2G-B**

Finish	
Material	8mm Black Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron
Rated Power	
LPG:1.5kw,1.5kw,3.5kw,2.5kw,1.0kw	
Packing	
Packaging dimension(mm)	595x970x185
Gross weight(kg)	21
Installation Type	
Built-in or Freestanding	



GAS COOKTOP **AT-R4G-B**

Finish	
Material	8mm Black Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device</	




WHITE
SIMPLE
DESIGN



GAS COOKTOP **AT-R5-2G-W**

Finish	
Material	8mm White Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron
Rated Power	
LPG:	1.5kw,1.5kw,3.5kw,2.5kw,1.0kw
Packing	
Packaging dimension(mm)	595x970x185
Gross weight(kg)	21
Installation Type	
Built-in or Freestanding	






GAS COOKTOP

JZT-R3GB
JZY-R3GB


Finish	
Material	Black Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron
Rated Power	
N.G.:5.0KW LPG:4.5KW	
Packing	
Packaging dimension(mm)	920*580*200
Gross weight(kg)	22
Installation Type	
Built-In or Freestanding	



GAS COOKTOP

JZT-R1GB
JZY-R1GB

Finish	
Material	Black Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	




BUILT-IN
900 OVEN
DESIGN



OVEN **AT-K900S-G**

Finish	
Material	Coating Stainless Steel Temperature Glass
Features	
Capacity	100L
Power Total	2800W
Function	9
Control	Electric Knob with LED
Time	120min
Temperature Range	50-250°C
Oven Door	3
Child Safety Lock	Yes
Packing	
Packaging Dimension(mm)	955x650x530
Gross Weight(kg)	45
Installation Type	
Built-in	






STEAM OVEN AT-ZK388S-C

Finish	
Material	Black Temperature Glass

Features	
Capacity	56L
Function	12
Steaming /Baking/Rear Convection/	
Steaming/Convection/Ferment/Sterilize/Defrost	
Total Power	2100W(800+1300)
Control	Electric Touch With LCD
Time	180min
Temperature Range	50-250°C/40-250°C
Oven Door	Double
Child Safety Lock	Yes
Water Tank Capacity	1.3L

Packing	
Packaging dimension(mm)	540x670x670
Gross weight(kg)	34


Installation Type	
Built-in	





OVEN AT-K128S-B

Finish	
Material	Temperature Glass
Features	
Capacity	58L
Function	8
Total Power	2900W
Control	Mechanical Control
Time	120min
Temperature Range	50-250°C
Oven Door	2
Packing	
Packaging dimension(mm)	600x690x665
Gross weight(kg)	33
Installation Type	
Built-in	





WHITE
SIMPLE
DESIGN



OVEN		AT-K128S-W
Finish		
Material	White Temperature Glass	
Features		
Capacity	58L	
Function	5	
Total Power	2300W	
Control	Electric Button & Mechanical Control	
Time	120min	
Temperature Range	50-250°C	
Oven Door	2	
Packing		
Packaging dimension(mm)	655x680x665	
Gross weight(kg)	33	
Installation Type		
Built-in		



INTEGRAL
REFRIGERATOR
DESIGN



REFRIGERATOR

AT-B668S

Cavity

Total	275L
Upper Fridge Compartment	205L
Bottom Freezer Compartment	56L

Specifications

Electrical Temperature Control
Clear Shelf
White Body
Reversing The Door(Left / Right)

Performance

Energy efficiency class	A+
Climate Type	N/ST
Noise level (dB)	41dB(A)
Refrigerant	R600a
Energy Consumption kWh/year	367


Packing

WATER
DISPENSER
DESIGN



WATER DISPENSER AT-S668G-B

Finish	
Material	Black Temperature Glass
Features	
Water Type	Direct Heating/Cold
Power	3000W
Control	Soft Touch With LCD Display
Insert	Running Water
Performance	
Packaging dimension(mm)	680*490*540
Gross weight(kg)	24
Installation Type	
Built-in	



WATER DISPENSER AT-S668G-M
WITH ICE MAKER
